## **AMENDMENT**

## In the Claims:

This listing of claims will replace all prior versions, and listings of claims in the application:

## **Listing of Claims:**

1-19. (Canceled)

20. (currently amended) Structure for vertical electrical conduction comprising a thin layer (2) integral with a support of conductive or semi-conductive material, the thin layer (2) being a layer of conductive or semi-conductive material made insulating by ion implantation except for at least one zone (9) that allows a vertical electrical connection through the entire thickness of the thin layer (2) electrically connecting the support to a face of the thin layer opposite to the support, wherein said layer (2) and at least one zone (2) substantially have the same thickness between the face of the thin layer opposite to the support and the face of the support opposite to the thin layer.

21. (currently amended) Structure according to Claim 20, characterized in that the wherein said thin layer comprises a multitude of said zones, said multitude of zones being distributed over the entire surface of the thin layer.

- 22. (currently amended) Structure according to Claim 20, characterized in that the wherein said thin layer comprises one of said zone or a plurality of said zones concentrated to constitute at least one conductive path or at least one conductive track.
- 23. (currently amended) Structure according to claim 20, characterized in that the wherein said thin layer (2) is made integral with the support (3) through an intermediate conductive interface.
- 24. (currently amended) Structure according to Claim 23, <del>characterized in that</del> wherein said intermediate conductive interface is constituted by comprises a metal layer.
- 25. (currently amended) Structure according to Claim 24, <del>characterized in that</del> wherein said metal layer is a layer of palladium.
- 26. (currently amended) Structure according to claim 23, eharacterized in that wherein a deposition of conductive bonding materials is associated with said intermediate conductive interface.
- 27. (currently amended) Structure according to Claim 26, characterized in that the wherein said conductive bonding materials are successive deposits of titanium, nickel and gold.

- 28. (currently amended) Structure according to claim 20, characterized in that the wherein said thin layer (2) is made integral with the support (3) through the use of a brazing material.
- 29. (currently amended) Structure according to Claim 28, <del>characterized in that the</del> wherein said brazing material is based on indium.
- 30. (currently amended) Structure according to claim 20, eharacterized in that wherein the material of the thin layer (2) is chosen from among SiC, GaAs and InP.
- 31. (currently amended) Structure according to claim 23, characterized in that the wherein said support (3) is made of silicon.
- 32. (currently amended) Structure according to claim 22, characterized in that the wherein said thin layer (2) is made integral with the support (3) through an intermediate conductive interface.
- 33. (currently amended) Structure according to claim 25, characterized in that wherein a deposition of conductive bonding materials is associated with said metal layer.
- 34. (currently amended) Structure according to claim 22, characterized in that the said thin layer (2) is made integral with the support (3) through the use of a brazing material.

- 35. (currently amended) Structure according to claim 29, characterized in that wherein the material of the thin layer (2) is chosen from among SiC, GaAs and InP.
- 36. (currently amended) Structure according to claim 29, characterized in that the wherein said support (3) is made of silicon.